



**A C C E S S O R I E S**

LET'S GROW TOGETHER

## MANUAL VENTS

Depending upon your growing intentions ventilation is a major player in a successful greenhouse experience.

### ROOF VENT

Elite include at least one manual roof vent as standard on every greenhouse and lean-to (with the exception of the Window Garden and 2' long R-type).

The larger the greenhouse the more vents are included and, depending upon what the greenhouse is going to be used for, additional ventilation can be purchased.



### LOUVRE VENT

An excellent accessory is a Louvre window. Elite offer a 5 blade and 10 blade Louvre (the 10 blade is available only on the Elite Titan range) and both are glazed with toughened safety glass as standard and aluminium or polycarbonate blades are also an option.

Humid and stagnant air can cause condensation and develops disease and mould in plants. By adding a Louvre on the side or rear of your Elite building, fresh air is drawn in and encouraged to circulate from different levels.



## AUTOMATIC OPENERS

Automation of both roof and side Louvre vents are an excellent and hugely popular choice with customers. Offering peace of mind when you are at work or on holiday, ventilation is provided automatically via a solar powered wax cylinder which opens or closes the vent when the temperature inside the greenhouse reaches a certain level.

### ELITE AUTOMATIC ROOF VENT OPENER

The Elite automatic is our best seller. Not only is it sturdy, it completely opens the vent to 18" allowing maximum ventilation to protect your hard work. No drilling required and with its universal fitting makes it compatible with most industry models.



### BAYLISS XL

Its 12" opening fits closely and neatly to the glass which is ideal for greenhouses where headroom is limited such as Elite's Easygrow lean-to range.



### BAYLISS MK7

Designed primarily for heavy duty roof vents, such as the Elite GX series, as it is designed for raising heavier frames and offers a maximum 12" opening range.



### AUTOMATIC LOUVRE VENT

An automatic mechanism is also available for the 5 and 10 blade Louvre

### CYLINDERS

Replacement cylinders are available for the Elite Automatic, Bayliss XL & MK7



## RAINWATER COLLECTION

### RAINWATER KITS

Compatible with Elite's unique half round integral gutter only.

#### STANDARD

Each kit comprises of pipe work and outlets for one end of each gutter and stoppers to terminate the opposite ends. The system works by collecting the rainwater into a barrel or other designated outlet.

**Water barrels are sold separately.**

#### LEAN-TO

Similar in principal to the standard rainwater kit supplied for the greenhouse range, this only has one collection point and one stop end as the lean-to range only offers one gutter in its framework.

**Water barrels are sold separately.**



### RAINWATER KIT TO ONE GUTTER

To eradicate the need for more than one barrel or outlet, a traverse pipe is placed along the rear of the greenhouse terminating into a T junction which connects both gutters to one outlet. This in turn allows the water to be carried from both gutters into a single point such as a barrel or grid. This kit can only be fitted at the rear of the greenhouse. When ordering please state the greenhouse width.

**Water Barrels are sold separately.**

## BESPOKE RAINWATER COLLECTION

Any fittings and attachments can be purchased in order for you to tailor a system specific for your requirements. Standard draining pipes are available in 1m or 3m lengths.



### WATER BARRELS

Elite offer a range of ridged moulded plastic barrels up to a capacity of 210litres (46 gallons) to complement the rainwater kits. The barrel ensures the collection of rainwater is a simple task, and when raised on bricks or fitted to the low cost stand, allows for simple access to the incorporated tap.



**210 Litre Water Barrel**



**100 Litre Water Barrel**  
– This slimline water barrel is ideal if space is limited.

### RAIN GAUGE

The rain gauge is a very simple and easy to use device for measuring rainfall. The rain gauge features both metric and imperial scales and the measurement reflects the depth of rain that has fallen over the circumference of the top of the gauge. A great idea for keen gardeners or getting the little ones involved in gardening projects.



### BIG DRIPPA

This watering system offers the benefits of drip watering without the need for mains water supply. It features a 10.5litre water reservoir bag, 5 metres of irrigation tube and 6 adjustable drippers. The system can be fitted to the greenhouse glazing bars.

If you recycle rainwater from your gutter into a barrel, you can use this water to fill your drippa bag.



## SHELVES


Elite's aluminium series of shelves come in easy to assemble kit form and will not rust, rot or deteriorate in humid greenhouse conditions. A greenhouse can be maximised into a well-equipped area for growth and display though placing shelves above staging units to increase your workable area.

### DIAMOND SHELVES

Made from extruded aluminium for a stronger and thicker material, this shelf has been designed specifically for an Elite product, be it a greenhouse or lean-to. The shelving can be adjusted to any height required within the greenhouse and is built with a slatted design, allowing for extra ventilation to any produce placed on the work surface, and ideal for fluid drainage compared with the traditional solid shelf.

The diamond shelf has been tailored to the Elite framework, hence accommodating the diagonal braces within the building which do not need removing and thus allowing for the first time a shelf which can fill the full width or length of your greenhouse.

The shelves can be combined to make longer lengths.



**Pack size: 1 (fittings included)**



| 2 Slats (7 ½")<br>from the glass 8 ½" |         |         | 3 Slats (11")<br>from the glass 12 ¼" |         |         |
|---------------------------------------|---------|---------|---------------------------------------|---------|---------|
| 4' long                               | 6' long | 8' long | 4' long                               | 6' long | 8' long |
| Combined to make longer lengths       |         |         | Combined to make longer lengths       |         |         |



## EXTRUDED SHELVES

This ridged extruded aluminium shelf, which comes complete with fittings, is extremely strong and robust and when bolted to the side or end of the greenhouse, forms an integral part of the building providing additional frame strength as well as a useful practical area.

**Pack size: 1 (fittings included)**

| Length | Width | No of Shelf Brackets |
|--------|-------|----------------------|
| 4'2"   | 6"    | 3 / shelf            |
| 6'2"   | 6"    | 4 / shelf            |
| 8'2"   | 6"    | 6 / shelf            |



## SHEET METAL SHELVES

The aluminium is formed into a tray which sits on top of alloy brackets and can be flat or inverted, depending on use and includes drainage points at each corner.


**Pack size: 2 (fittings included)**

| Length     | Width | No of Shelf Brackets |
|------------|-------|----------------------|
| 3'1"(37")  | 10"   | 2 / shelf            |
| 3'11"(47") | 10"   | 2 / shelf            |
| 5'0"(60")  | 10"   | 3 / shelf            |



## INDEPENDENT SHELF BRACKETS

Any material, for example timber, aluminium, steel, can sit safely on top of the bracket up to 10" wide. The brackets are supplied in pairs and include all fittings.




## ALUMINIUM DIAMOND STAGING

Elite provide the next generation of work area support for your greenhouse with the Diamond Series of staging and shelving.

- Elite's greenhouse and lean-to frame can accommodate super strength diamond integral staging
- Made from extruded aluminium giving a stronger and thicker material
- Can be fitted to any Elite greenhouse or lean-to
- Cantilever bracing attached directly onto the framework structure adding extra strength and stability
- Accommodating the diagonal strengthening braces within an Elite building thus allowing for the first time a "fixed" shelf or staging which can fit the full width or length of the greenhouses
- Neater and professional finish
- No visible legs – your work space is increased through allowing for additional storage space beneath the staging
- Can be adjusted in height, allowing you to sit directly at the bench whilst working
- Provides added benefits for wheelchair users
- Slatted design allowing for extra ventilation to any produce placed on the work surface
- Ideal for fluid drainage, compared with traditional designs
- Easier to sweep out the greenhouse without having to move free standing staging



| 2 Slats (7 ½")<br>from the glass 8 ½" |         |         | 3 Slats (11")<br>from the glass 12 ¼" |         |         | 5 Slats (18 ½")<br>from the glass 19 ¾" |         |         | 7 Slats (26")<br>from the glass 27 ¼" |         |         |
|---------------------------------------|---------|---------|---------------------------------------|---------|---------|---|---------|---------|---------------------------------------|---------|---------|
| 4' long                               | 6' long | 8' long | 4' long                               | 6' long | 8' long | 4' long                                 | 6' long | 8' long | 4' long                               | 6' long | 8' long |
| Combined to make longer lengths       |         |         | Combined to make longer lengths       |         |         | Combined to make longer lengths         |         |         | Combined to make longer lengths       |         |         |







## ALUMINIUM MODULAR STAGING

Modular staging offers affordable utility storage and maximum working areas specific for your chosen model of greenhouse. Individually packaged, these lightweight units are an ideal choice.



SAFETY EDGES



EASILY EXTENDED



DOUBLE BOLTED



REVERSIBLE TRAYS

### 12" WIDE



#### LENGTH

|       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|
| 1 Bay | 2 Bay | 3 Bay | 4 Bay | 5 Bay | 6 Bay | 7 Bay |
| 1'11" | 3'10" | 5'9"  | 7'8"  | 9'6"  | 11'5" | 13'4" |

#### HEIGHT

|             |            |
|-------------|------------|
| DOUBLE TIER | 2'8" (32") |
| TRIPLE TIER | 4'2" (50") |

### 18" WIDE



| LENGTH |       |       |       |       |       |  |
|--------|-------|-------|-------|-------|-------|--|
| 2 Bay  | 3 Bay | 4 Bay | 5 Bay | 6 Bay | 7 Bay |  |
| 3'10"  | 5'9"  | 7'8"  | 9'6"  | 11'5" | 13'4" |  |



| HEIGHT      |            |
|-------------|------------|
| DOUBLE TIER | 2'8" (32") |

### 20" WIDE



| LENGTH |       |       |       |       |       |       |
|--------|-------|-------|-------|-------|-------|-------|
| 1 Bay  | 2 Bay | 3 Bay | 4 Bay | 5 Bay | 6 Bay | 7 Bay |
| 1'11"  | 3'10" | 5'9"  | 7'8"  | 9'6"  | 11'5" | 13'4" |



| HEIGHT      |            |
|-------------|------------|
| DOUBLE TIER | 2'8" (32") |
| TRIPLE TIER | 3'2" (38") |

### 23" WIDE

| HEIGHT      |            |
|-------------|------------|
| DOUBLE TIER | 2'8" (32") |
| TRIPLE TIER | 3'2" (38") |



| LENGTH |       |       |       |       |       |       |
|--------|-------|-------|-------|-------|-------|-------|
| 1 Bay  | 2 Bay | 3 Bay | 4 Bay | 5 Bay | 6 Bay | 7 Bay |
| 1'8"   | 3'4"  | 5'0"  | 6'8"  | 8'4"  | 10'0" | 11'8" |



## WORK BENCHES

### POTTING BENCH

The Potting Bench's working height is ideal for any concentrated task, such as the potting or transportation of fledging plants, making what was previously an arduous, back breaking task, effortless. The 2" front lip prevents spillage and the working area comes complete with a 4" diameter hole allowing access for any wastage to be collected in the hopper below, which is large enough to store an ample supply of compost and additional pots.

|                 |                 |
|-----------------|-----------------|
| Length:         | 1'11" (23")     |
| Width:          | 1'8" (20")      |
| Height - Front: | 2'11 ½" (35 ½") |
| Height - Back:  | 3'8" (44")      |



### WORK STATION

A great all round working companion which combines double tier staging and two high level shelves in one unit.

|                 |             |
|-----------------|-------------|
| Length:         | 3'11" (35") |
| Width:          | 1'10" (22") |
| Height - Front: | 2'8" (32")  |
| Height - Back:  | 4'2" (50")  |



### 24 CELL SELF WATERING SEED SUCCESS KIT

The growing trays are supported above an internal reservoir on a raised platform which, in turn, are covered in capillary matting. Plants draw the water naturally from this matting as required and it can be reused year after year.

|         |     |
|---------|-----|
| Length: | 15" |
| Width:  | 9"  |
| Height: | 6"  |



## ALL SLATTED BENCH

Made from high quality aluminium, the All Slatted Bench offers hard-wearing performance and flexibility making it an ideal choice for any greenhouse. Available in one size only, this two tiered platform allows you to control the slat widths, therefore tailoring it for any requirement, thus becoming very useful during the winter months when plants need more ventilation and less water.

Length: 3'11" (47")

Width: 1'8 ½" (20 ½")

Height: 2'10" (34")



## MINI HIGH DOME PROPAGATOR

These high dome unheated propagators have quality plastic seed trays and clear covers with an adjustable dial vent to control the temperature and humidity. The seed trays feature 2 tier cell drainage holes and are sold in packs of 3.

Length: 6 ½"

Width: 3 ¾"


Height: 4 ¾"



## SEED TRAY FRAME

These high quality, lightweight, aluminium frames are maintenance free, space saving and easily moveable and come complete with seed trays. Available in two sizes, 3 and 5 tiers, with each tier accommodating a tray for overwintering tender garden plants, germination and growing-on seedlings, prior to planting out.

|        | 3 Tier     | 5 Tier     |
|--------|------------|------------|
| Width  | 1'2" (14") | 1'2" (14") |
| Length | 2'6" (30") | 2'6" (30") |
| Height | 2'8" (32") | 4'2" (50") |



## POTTING TIDY

At 24" long and 22" deep, the potting tidy is a hard-wearing, sturdy and washable work tool with many uses. Made from durable plastic, finished in green or black, it provides an excellent working area, ideal for messy jobs, and with its 8.5" high back and perimeter lip, it keeps its contents in place.

Can be used in conjunction with most staging.



## TIDY TRAY SHELF

A perfect companion to the Potting Tidy. Made from recycled polypropylene, the shelf sits securely on the top rim of the Potting Tidy and provides 3 recessed pockets to hold accessories and tools keeping the work space clear of obstruction.

Length: 24 ½"  
Width: 7 ½"  
Height: 2 ½"



## GROWBAG TRAY

The Growbag Tray takes a full size grow bag or can be used to hold 4 standard seed trays making it extremely universal for all growing needs.

The tray is watertight and so can help prevent the inevitable dirty water from staining your greenhouse floor or benching, whilst at the same time, holding water to help prevent your plants drying out during long hot days.

Length: 39 ½"

Width: 15 ½"

Height: 2"



## FINE MESH SIEVE

A deep plastic sieve featuring integral tough steel diamond mesh which is ideal for sifting compost to give the perfect base for successful seed. Mesh holes are 9mm wide by 5mm high and is made from recycled polypropylene and galvanised steel.

Length: 14"

Width: 12"

Height: 4 ¾"



## WOODEN STAGING

### STANDARD FOLDAWAY WOODEN STAGING

Flexibility is the key to the success of the popular wooden series. Made from sturdy Scandinavian pine and available in four sizes, this double tier structure can be erected or folded away instantly, thanks to its removable galvanised bracing stays, allowing the staging to be easily transported.

| Length          | Width | Height          |
|-----------------|-------|-----------------|
| 6' Standard     | 14"   | 2'7 ½" ( 31 ½") |
| 6' Professional | 21"   | 2'7 ½" ( 31 ½") |
| 4' Standard     | 14"   | 2'7 ½" ( 31 ½") |
| 4' Professional | 21"   | 2'7 ½" ( 31 ½") |





## HEAVY DUTY WOODEN STAGING

Designed for superior strength and high capacity, this robust frame made from 100% tanalised timber is available in a combination of sizes to maximise your working space. Its strong construction is underlined through using 45mm x 45mm timber with braces, which reinforce the joints between each leg and the top tier, and as its virtually maintenance free, is ideal for both indoor and outdoor usage.

| Length | Width | Height |
|--------|-------|--------|
| 6'     | 22"   | 34 ¼"  |
| 6'     | 30"   | 34 ¼"  |
| 4'     | 22"   | 34 ¼"  |
| 4'     | 30"   | 34 ¼"  |



## VEG TABLE

Grow at a manageable and comfortable working height with the Veg Table. Your “crop” is protected from garden pests such as rabbits, snails and insects and is supplied with a semi-permeable grow liner to assist with drainage. The unique crossed leg frame provides optimum strength and stability and is available in two sizes. You can paint the Veg Table to suit your garden / greenhouse environment.



## SMALL VEG TABLE

The small veg table is compact enough to be assembled in or out of the greenhouse and is ideal for growing herbs and plants to cook with.

| Height                | Width                 | Depth                 |
|-----------------------|-----------------------|-----------------------|
| 800mm<br>2'7½" (31½") | 500mm<br>1'7½" (19½") | 720mm<br>2'4½" (28½") |

## LARGE VEG TABLE

This table is very universal, providing a sizable growing area, yet requiring less than 1 square metre of floor space. This table is the easiest and most comfortable way to begin growing at home.

| Height                | Width                  | Depth                 |
|-----------------------|------------------------|-----------------------|
| 800mm<br>2'7½" (31½") | 1000mm<br>3'3½" (39½") | 720mm<br>2'4½" (28½") |



LET'S GROW TOGETHER

## BASE MATERIALS

### SEPARATE BASE

Elite buildings, with the exception of the GX and iGro, require a base of some description whether it is timber, aluminium or brick.

Many Elite buildings are supplied with an aluminium built in base as standard, but for the larger greenhouses and lean-to range Elite can offer a separate 5" tall aluminium base. Aluminium is used, as unlike other materials, it will not discolour or rust and can also be powder coated to suit your greenhouse. Opting for an aluminium base not only eliminates the need for a traditional brick base but also allows you to sit the greenhouse straight onto any solid foundation, soil or grass. Elite's aluminium bases can only be guaranteed to fit an Elite Greenhouse or Lean-to.



POWDER  
COATED



### BRICK BASE ANCHORING KIT

If you have built a brick base, Elite's anchoring kit, which consists of 10 unequal aluminium angles, plastic plugs and stainless steel screws, is a useful acquisition. The aluminium angles are bolted to the cill and then, with the use of the plug and screw, are secured to the brickwork.



POWDER  
COATED



### LONG UNEQUAL ANGLE BRACKETS

These brackets fit into the pre-machined bolt slots located in the Elite aluminium base to provide a secure attachment to a solid foundation.



POWDER  
COATED



### BASE LEGS

Aluminium base legs bolt to the base corners and, therefore, make it possible to anchor the greenhouse to the ground. They are also useful to use as angle sections and if you have concreted your aluminium base into the ground and now wish to move your greenhouse, then replacement legs will need to be purchased.




POWDER  
COATED



## CANTILEVERS

Many Elite buildings are supplied with cantilever braces as standard. The aluminium T bar adds additional strength to your greenhouse or lean-to framework. Additional cantilevers can be purchased which are available in 12", 24" or 36" long and are used as eave or ridge bracing.



## HEATERS

### ELECTRIC MONTANA - 2KW

The robust and thermostatically controlled heater is ideal for not only keeping your greenhouse frost free, but ensuring a steady flow of air. It is a 2.0KW heater with an energy saving option of 1.0KW heat output and features a summer mode which is capable of keeping the greenhouse cool.



### ELECTRIC TROPIC -2KW

The sturdy, drip-proof, plastic cased heater has been designed for safe operation. With 1KW and 2KW settings, the heater has a unique dual operation thermostat with a temperature range from a frost stat setting of 5°C up to 40°C (40° - 104°F) and an indicator light to show when power is being consumed. In winter, for heating purposes, the thermostat is set to trigger heat when the temperature falls below a set temperature. The fan of the heater can be set either to switch off with the heating elements or to run continuously. In summer, for cooling purposes, the thermostat can be set to run the fan to circulate the air, cooling when the temperature climbs above a set temperature. This compact heater is powerful enough to heat a greenhouse up to 10' x 8'.



### PARAFFIN - SUPER WARM 5

Ideal as a frost heater in larger greenhouses or for more concentrated use in a greenhouse up to 5 square metres, the Super Warm 5 boasts a 4.5 litre capacity fuel tank which will burn continuously for a staggering 3.5 days on one filling.



## GAS BLUE FLAME 1.9KW

The blue flame is 1.9KW and needs no electricity supply. The thermostatically controlled gas greenhouse heater comes complete with hose and regulator and is powerful enough to heat the larger range of greenhouses such as 20' x 10'.



## PARAFFIN BIG RED 2.5KW

This is a very powerful easy to use greenhouse heater and is recommended for greenhouses of a minimum size of 10' x 8'. This heater is economical to run and will burn continuously for 16 hours on one filling. Its capacity is 4.0 litres with a power output of 2.5KW.



## SOIL WARMING CABLE

A soil warming cable is the ideal way to propagate seeds and cuttings in a greenhouse, bench or cold frame. The soil in a greenhouse takes time to warm up naturally but with a soil warming cable you are able to plant earlier and raise better specimens.

The cable is simply laid onto 5cm of sand and covered with a further 5cm of sand.

3m (10') Length









## ALUMINIUM CRESTINGS & FINIALS

- Cast aluminium – extremely strong (not plastic)
- Available on all free standing Elite Greenhouses (excluding iGro)
- Creates an individual and professional decorative finish
- Can be powder coated in any of Elite's colours
- Deterrent against cats and birds



POWDER  
COATED

### POWDER COATED

-  Green
-  Black
-  Graphite
-  Brown
-  Terracotta
-  White



# BAR CAPPING

Bar Capping provides a stronger hold for the glazing and adds a decorative finish to any greenhouse. The rubber fin also adds a better water seal between the frame and glass. Capping is used in addition to wire clips so in effect will add double protection which is ideal in more exposed areas.

The capping is simply screwed into position using colour coded screws which do not leave any unsightly silver screw heads on show.

Not recommended with overlapping glass.



GREEN

BROWN



BLACK

WHITE



TERRACOTTA

GRAPHITE

## FLY SCREEN NET

The Elite Fly Screen Net allows you to leave your greenhouse door(s) open for ventilation while, at the same time, helping keep out unwanted pests.

Available in 3 widths to suit 2', 3' and 4' wide door openings with a drop height of 2050mm and are fitted with heavy duty double zippers on both sides.

The fabric is PVC coated which is tear proof, weather-proof, even when rolled wet, and has a resistance to mildew.

Installation is simple and can be completed in around 10 minutes to any Elite Greenhouse and, when the screen is not required, it neatly rolls up in seconds.






LET'S GROW TOGETHER

## NETTING

Over exposure to the sun, especially if the roof section is south facing, can often scorch leaves. The netting attaches to the inside of the framework to allow a roof vent to reduce the greenhouse temperature and provides a good shade system for plants through dissipating the sun's rays, thus preventing burning. Each kit is 20' x 6' and comes complete with Lining Hooks.



## BUBBLE PLASTIC

Insulation extends plant life and can enable earlier propagation of plants, especially during the winter months when growth is much slower and frost protection is crucial. Each kit is 30' x 2'5" and comes complete with fittings to attach the UVI treated insulation to the framework and is guaranteed for 5 years against discolouration. Elite recommend that if you do insulate your greenhouse, an allowance for ventilation is required to prevent damping off and the formation of disease. Comes complete with Lining Hooks.



## SPACERS

Allow breathability and reduces condensation when used with the lining hooks to create a 1" air gap between the lining material and the greenhouse glass.



Pack size: 6

## PLASTIC HOOKS

Easily secured into the roof, these useful hooks provide a means to attach lightweight supports for plant development such as tomato strings.



Pack size: 6

## LINING HOOKS

Used to attach lining such as bubble plastic or netting to the inside framework. The plug is pushed through the lining material and then twisted and locked into position in the glazing bar.



Pack size: 10 or 30



## INSULATION SHADING CLIPS

Used for fixing bubble plastic, these heavy duty clips combine Elite's lining hooks and spacers as one which attaches to the greenhouse whilst creating an air gap.


Pack size: 10



## DOOR WHEELS

Fingertip door operation is provided by plastic door wheels with self-lubricating ball bearings which are available in two sizes: 28mm or 32mm (28mm is the most widely used).

Pack Size 2 including fixings



## NUTS & BOLTS

Elite only use high tensile nuts and bolts which are offered in two styles, full or cropped headed, both in 11mm or 22mm lengths and are made from aluminium, therefore eliminating rust and provide a long life. The full headed series is intended for the construction of most aluminium greenhouses, whereas the cropped headed style provides an opportunity of attaching items to the frame once it is assembled.

11mm: Pack size: 15, 50 or 500

22mm: Pack size: 15



## WIRE CLIPS

Finished in stainless steel, the butterfly shaped wire clip attaches to the side of the glass ensuring a tight, flush fit against the glazing bar.

Pack size: 15, 50 or 500



## SPRING CLIPS

These rust free stainless steel clips hold the glass firmly against the glazing bar.

Pack size: 15, 50 or 500



## PRE FORMED OVERLAP CLIPS

A stainless steel overlap clip with a pre-formed top and bottom allowing the glass to overlap by 3/8".

Pack size: 15



## OVERLAP CLIPS

For ease of installation of overlapping glass, this aluminium clip has the flexibility of allowing for glass tolerance as it is only preformed at one end therefore allowing for adjustment by hand during the greenhouse glazing process.

Pack size: 15, 50 or 500



## REPAIR PACK

A selection of parts often required for repairing damaged sections or spares for misplaced items.

The pack contains 6 full headed and 6 crop headed nuts and bolts, 6 wire clips, 6 spring clips and 6 overlap clips.



## WALL STRAIGHTENERS


These useful spacers are available in thickness from 1mm to 5mm and are used when the aluminium frame, and the floor or wall that it adjoins, are not compatible. Additionally, they can also be used with silicone.



## TYING EYES

These circular eyes, which are easily secured into the roof, provide a means to attach lightweight supports for plant development such as tomato string.

Pack size: 6




## CONSTRUCTION PACK

The kit contains a selection of the most common tools required for greenhouse assembly, which is a handy pack to aid with the construction of your greenhouse and is a real time saving purchase.

The pack includes

- Glass Sucker
- Gloves
- Pozi Screwdriver
- M10 Nut Spinner
- Long Nosed Pliers



## DOOR LOCKS

From 2013 Elite offer a door lock as standard on every model, however, if your greenhouse is pre this date, we can offer a single or double lock. The aluminium bracket attached to the framework includes a padlock and key.

Can be powder coated.



## NUT CAPS

For a more professional finish, these nut covers are used in conjunction with powder coated products and effectively hide the bolt heads. Available in Green, Black, White and Graphite.

Pack size: 50

## MASTIC BEAD

A butyl mastic beading strip (grey) forms a gasket between the glass and the frame of the greenhouse. This 6mm thick pliable beading can be effectively used to replace other perished rubber gaskets and is hard-wearing, very versatile and suitable for most makers of greenhouses.

Available in 20', 150' and 200' coils.





## NEOPRENE

The Neoprene is a cushion beading which has greater resistance to wind. This glazing gasket is PVC based and has a life span in excess of 15 years. Available in black or grey, it must be pre-threaded into the glazing bars prior to assembly.

This is specifically designed to fit all Elite Greenhouses and cannot be guaranteed on any other make.

Available in 50' or 100' coils.



## SILICONE SEALANT

Available in black, white or clear and ideal for emergency repairs, the sealant can be applied to wet and dry surfaces and bonds to aluminium, metal, steel, most plastics, timber, tile and brick, lasts up to 25 years and requires a dispenser, which can be bought separately.



## DRAUGHT EXCLUDER


A black offset T section which slides into the back of the door to fill any space between the door and frame which can also double up as a door stop.

Length: 6'

## MUNTIN & ROOF GLASS SPACER

These PVC strips allow one pane of glass to sit on top of another without an overlap. Particularly suitable for use with full sheet toughened glass. Available in Green, Black, White and Graphite.

Length: 2'



## FLOOR MATTING

Elite Greenhouse matting provides a soft step by flexing gently and cushions footsteps and the pliable vinyl provides protection against breakage of items that would shatter if dropped on a concrete surface.

Each tile is 300mm x 300mm and easily clicks together to form any length, width or shape you need.

The matting is lightweight and has a high resistance to extreme temperatures. The matting will not split, crack, warp or discolour and is resistant to oils, detergents, mould and mildew.



### Size Options

2' wide and 3' wide  
4' long, 6' long and 8' long

### Colour Options

Black, Graphite, Green  
and Brown

(Individual tiles are available for non-standard lengths and widths)

## GARDEN TRACK

Create a walkway in seconds. Each track consists of 24 panels connected by sturdy link pins to create a three metre long path which allows safe and easy passage over muddy terrain and gravel.



## SOIL BED DIVIDER

The soil bed divider allows you to replicate an outdoor soil bed situation inside your greenhouse, while at the same time, controlling the amount of water and temperature its contents are exposed to.

The divider is fixed to the built in base section around the perimeter of the greenhouse and, because it is fixed to a continuous bolt channel, you can easily alter the bed width to suit your requirements. The divider is 100mm tall and made of strong aluminium extrusion that can also be powder coated to suit your greenhouse colour.

Suitable for Elite Greenhouses with built in aluminium bases.




LET'S GROW TOGETHER

## THERMOMETERS

### ETI SOIL PROBE THERMOMETER

The soil probe thermometer is ideal for growers monitoring their produce as you can regulate the temperature of the soil or compost for the crop you are growing.

The glass thermometer is mercury free, is in a plastic case and the temperature is measured in °C over the range of -20°C to 69.9°C.



### ETI DIGITAL THERMOMETER

The digital max/min thermometer simultaneously displays the actual temperature whilst displaying the maximum and minimum temperatures. Each unit measures temperatures over the range of -49.9°C to 69.9°C with a 0.1°C resolution and is ideal for recording temperatures in greenhouses.

The unit is housed in an ABS case measuring 29 x 80 x 150mm. The instrument incorporates a slot for hanging and is powered by 1 x AAA battery which is supplied.



## HANDY TOOL RACK

A fantastic tool hanging system to keep tools off the floor and your greenhouse neat and tidy, can easily be attached to Elite's glazing bar and can be powder coated to suit. It comes complete with 5 "S" clips which can be moved along the bar to fit different tools.

Length: 670mm



### KNEELO

Generously sized, the Kneelo is comfortable, lightweight and easy to carry and allows you to work in cushioned comfort for prolonged periods of time. The outer layer is waterproof, durable, quick drying, wipes clean and is available in graphite grey.



### HERB POT

This very attractive herb pot has a self-watering system with four removable pockets for individual planting. There is a water reservoir for easy maintenance for kitchens, patios or greenhouses.



### HERB DRYING RACK

For drying freshly cut home grown herbs so they can be stored and used all the year. Hand forged from steel, powder coated in matt black and supplied with 6 hanging hooks. Can be hung from a bracket or hook.

Diameter: 9.8" (25cm)



## GREENHOUSE BIN SEAT

A highly practical greenhouse accessory product, this 47 litre container is ideal for storing compost and tools, whilst doubling up as a useful greenhouse working seat. It is manufactured from recycled polypropylene and is available in green only. (Scoop not included.)

Dimensions:

Length: 14½" (37cm)

Width: 11" (28cm)

Height: 22" (56cm)



## JERSEY CREAM HERB POTS IN A TRAY

Keep favourite herbs to hand on the kitchen window sill. Pre-printed with Basil, Parsley and Thyme, but any label can be written and slotted in the window, it is perfect for potted supermarket herbs. Available in a gorgeous jersey cream colour.

Width: 13.3" (34cm)

Depth: 4.7" (12cm)

Height: 4.7" (12cm)



## GREENHOUSE CADDY

Keep your twine, labels, ties, seeds, snips and greenhouse paraphernalia tidy and to hand in this incredibly useful caddy. It features a useful carrying handle and divided sections to keep products apart. Accessories not included.

Width: 11" (28cm)

Depth: 7.8" (20cm)

Height: 6.8" (17.5cm)



## WOODEN SEED TRAY SET

Traditional pine seed trays, made from untreated pine to ensure no food contamination and slatted for drainage, help get seedlings off to a flying start. Nesting set of one large and 2 small trays.

Small Tray:

Length: 8.8" (22.5cm)

Width: 6.8" (17.5cm)

Height: 2.7" (7cm)

Large Tray:

Length: 15.1" (38.5cm)

Width: 9.4" (24cm)

Height: 3.1" (8cm)





## PAPER POTTER

Great fun for adults and children alike, the paper potter enables you to turn strips of old newspaper into plant pots for seedlings. This simple kit allows gardeners to make a limitless supply of sturdy but biodegradable seedling pots from old newspaper. The paper potter makes pots 4cm wide / 5cm deep and is perfect for seeds and for potting up small seedlings.



## SEED PACK ORGANISER

Collect, organise and store seeds by planting monthly in this stylish storage tin. Comes complete with wooden pencil, monthly dividers and five special Seed Storage Envelopes to get gardeners started collecting their own seeds. Carry handles make it easy to transport around the garden shed. Available in Burgundy or Petrol Blue.

Width: 11" (28cm)  
Depth: 7.8" (20cm)  
Height: 6.2" (16cm)

### RAIN GAUGE


The rain gauge is a very simple and easy to use device for measuring rainfall. The rain gauge features both metric and imperial scales and the measurement reflects the depth of rain that has fallen over the circumference of the top of the gauge. A great idea for keen gardeners or getting the little ones involved in gardening projects.



### CAPILLARY MATTING

Ensures a constant supply of water to pots, plants and seed trays and serves as an automatic watering system, allowing plants to absorb water as and when required. Provides a water supply whilst away on holiday and keeps plants moist. It includes Capillary mat, Polythene Liner and wicks.

Dimensions:  
2.5m x 0.62m  
(8' x 2')



## STAINLESS HAND TROWEL

Wide deep dish for maximum load.

Width 7cm, Overall length 30cm



## STAINLESS HAND FORK

Handed and tempered prongs to withstand tough cultivating.

With 8cm, Overall length 29cm



## WOODEN DIBBLET

The wooden dibblet is ideal for planting seeds and small seedlings with great accuracy. The overall length is 18cm and comes complete with a leather handle which can be used to hang up in the greenhouse. The dibblet comes with 1cm graduations.



## COMPOST SCOOP

A handy scoop available in dark green and can easily be cleaned.



### JUMBO TIDY PAN

A seriously useful tool, essentially this is an oversized dustpan designed for exterior use and is perfect for tidying your greenhouse. Manufactured from recycled polypropylene and available in green.

Dimensions

Length: 21.6" (55cm)

Width: 19.2" (49cm)

Height: 5.9" (15cm)



### LEAF & GRASS COLLECTOR

Makes collection of leaves and grass cuttings quick and simple while protecting your hands. These oversized hands are a great help around the garden and greenhouse.



### GARDEN MARKER PEN

Rain, sun and frost resistant.



### JUTE BALL

Green jute ball - approximately 150 metres long.



### SEEDLING LABELS

The seedling labels are wooden and are a cost effective and natural way to label your seedlings.

Pack size: 50



PROUD TO BE BRITISH


## iGRO COLD FRAME

Ideal for seedlings and small plants, the Cold Frame is a must have in a gardener's armoury in the battle to "bring on" small plants fighting against the cold conditions.

Tilt or slide top vents. Tilt vents are only intended for frame access.

Available in two sizes 4'x2' and 6'x2'.

Available in Aluminium or Green.



**3-5  
WORKING  
DAY LEAD  
TIME**

### GLAZING

**P** 4mm Twin Wall Polycarbonate

## COLD FRAME









If you require the Cold Frame with Toughened Safety Glass or powder coated in a different Elite colour this can be done. Please note Elite's standard lead time will apply.

### GLAZING

 Toughened Safety Glass




### POWDER COATED

-  Green
-  Black
-  Graphite
-  Brown
-  Terracotta
-  White

## WINDOW GARDEN

If your circumstances result in little or no space whatsoever, then Elite's Window Garden can attach to walls or sheds and provide blossoming potential from a simple grow bag to a fully featured herb garden.

### GLAZING

-  Horticultural Glass
-  Toughened Safety Glass
-  6mm Twin Wall Polycarbonate

### POWDER COATED

-  Green
-  Black
-  Graphite
-  Brown
-  Terracotta
-  White



EXTRA BASE TRAYS AVAILABLE

### STANDARD FEATURES




GUTTER



SINGLE DOOR CATCH



LET'S GROW TOGETHER



**01204 791488**

[enquiries@elite-greenhouses.co.uk](mailto:enquiries@elite-greenhouses.co.uk) | [www.elite-greenhouses.co.uk](http://www.elite-greenhouses.co.uk)